

Certificate of Compliance

Certificate: 2731766 Master Contract: 205078

Project: 80116745 **Date Issued:** 2022-07-25

Issued To: Analog Devices Inc.

804 Woburn St

Wilmington, Massachusetts, 01887-3462

United States

Attention: James Scanlon

The products listed below are eligible to bear the CSA Mark shown with adjacent indicator▲



Issued by:

Martin Buchanan Martin Buchanan, P. Eng.

PRODUCTS

CLASS - C907330 - ELECTRONIC COMPONENTS Optoisolators and non-optical isolating devices

Component Acceptance of Optoisolator Like Magnetic Coupling Devices:

	Ratings			Intern	nal	External
					Dist	Creepage/
Device				Creepage	Thru	Clearance
(SSOP20)	(k V)	(°C)	Clauses of Standard/Notice	(mm)	(mm)	(mm)
ADuM3150xRSZ	3.75	125	CSA	-	-	5.1
ADuM3151xRSZ			14-18 tb35, 6.21.4.1, 6.2.1/6.2.12, 6.8.1			
ADuM3152xRSZ			62368-1:19 5.4.3, 5.4.2, 5.4.4.4,			
ADuM3153xRSZ			5.4.7, 5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4			
ADuM3154xRSZ			TEC			
ADuM3150WxRSZ			IEC (22(8) 1 2018 E 1 2 7 12 7 12			
ADuM3151WxRSZ			62368-1:2018 Ed. 3 5.4.3, 5.4.2, 5.4.4.4, 5.4.7, 5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4			
ADuM3152WxRSZ						
ADuM3153WxRSZ			3			
ADuM3154WxRSZ						



Certificate: 2731766 Master Contract: 205078
Project: 80116745 Date Issued: 2022-07-25

	Ratings			Internal		External
					Dist	Creepage/
Device				Creepage	Thru	Clearance
(SSOP20)	(k V)	(°C)	Clauses of Standard/Notice	(mm)	(mm)	(mm)
			EN			
			62368-1:2020+A11:2020 5.4.3,			
			5.4.2, 5.4.4.4, 5.4.7, 5.4.8, 5.4.1.5.3,			
			5.4.9.1, 5.4.1.4			

where x is a letter indicating speed grade and where Z, if used, indicates the lead-free version. Further suffix letters or digits differentiate shipping package formats.

Notes:

- 1. These devices meet basic insulation requirements for 510Vrms (721Vp) for CSA 62368-1:19. IEC 62368-1:2018 Ed. 3 and EN 62368-1:2020+A11:2020. (pollution degree 2, material group III)
- 2. These devices meet reinforced insulation requirements for 255Vrms for CSA 62368-1:19. IEC 62368-1:2018 Ed. 3 and EN 62368-1:2020+A11:2020. (pollution degree 2, material group III)
- 3. Case material CTI=600V, erosion depth 0.165mm. (meets material group I)
- 4. Evaluated by thermal cycling and other tests for a temperature rating of 125C.
- 5. The creepage and clearance has been evaluated for altitudes \leq 2000m, in pollution degree 2 and overvoltage category II.

These devices are Component Accepted as components for use in other Certified equipment where the suitability of the combination shall be determined by investigation in the final application.

APPLICABLE REQUIREMENTS

CAN/CSA-C22.2 No 14-18 - Industrial Control Equipment

CAN/CSA-C22.2 No. 62368-1:19 - Audio/video, information and communication technology equipment -

Part 1: Safety requirements (Bi-national Standard with ANSI/UL 62368-

1-2019)

IEC 62368-1:2018 Ed. 3 - Audio/video, information and communication technology equipment -

Part 1: Safety requirements

EN 62368-1:2020+A11:2020 - Audio/video, information and communication technology equipment -

Part 1: Safety requirements (IEC 62368-1:2018)



Certificate: 2731766 **Project:** 80116745

Master Contract: 205078 Date Issued: 2022-07-25

Notes:

Products certified under Class C907330 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). www.scc.ca





Supplement to Certificate of Compliance

Certificate: 2731766 Master Contract: 205078

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80116745	2022-07-25	Update to 2731766 for 62368-1 Ed 3
2731766	2014-11-07	Original Component Acceptance