

# **Certificate of Compliance**

Certificate:	2162710	Master Contract:	205078
Project:	80116754	Date Issued:	2022-08-23
Issued To:	Analog Devices Inc. 804 Woburn St Wilmington, Massachusetts, 01887-3462 United States		

**Attention: James Scanlon** 

## The products listed below are eligible to bear the CSA Mark shown with adjacent indicator▲



Issued by:

Martín Buchanan Martin Buchanan, P. Eng.

#### **PRODUCTS**

CLASS - C907330 - ELECTRONIC COMPONENTS Optoisolators and non-optical isolating devices

Component Acceptance of Optoisolator Like Magnetic Coupling Devices:

	Ratings			Internal		External
Device (SOIC 16W RW package)	kV	°C	Standard/Notice and Clauses	Creepage (mm)	Dist Thru (mm)	Creep/Clear (mm)
ADuM5000xRWZ ADuM5200xRWZ ADuM5201xRWZ ADuM5202xRWZ ADuM5000WyRWZab ADuM5200WyRWZab ADuM5201WyRWZab ADuM5202WyRWZab	2.5	105	CSA 14-18 tb35, 6.21.4.1, 6.2.1/6.2.12, 6.8.1 62368-1:19 5.4.3, 5.4.2, 5.4.4, 5.4.7, 5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4 61010-1-12+A1 6.7.1.3, 6.7.2.1 or tbK.1 to K.4, 6.7.2.2.1, 6.7.2.2.2 or tbK.9, A.17, tbK.5x1.6, K.6x1.6, K.7x1.6, 10 IEC	-	-	7.8



**Certificate:** 2162710 **Project:** 80116754 Master Contract: 205078 Date Issued: 2022-08-23

	Rat	ings		Intern	nal	External
Device (SOIC 16W RW package)	kV	°C	Standard/Notice and Clauses	Creepage (mm)	Dist Thru (mm)	Creep/Clear (mm)
			62368-1:2018 Ed. 3 5.4.3, 5.4.2, 5.4.4.4, 5.4.7, 5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4 61010-1 3 <sup>rd</sup> Ed+A1 6.7.1.3, 6.7.2.1 or tbK.1 to K.4, 6.7.2.2.1, 6.7.2.2.2 or tbK.9, A.17, tbK.5x1.6, K.6x1.6, K.7x1.6, 10 EN			
			62368-1:2020+A11:2020 5.4.3, 5.4.2, 5.4.4.4, 5.4.7, 5.4.8, 5.4.1.5.3, 5.4.9.1, 5.4.1.4			

where x and y may each be a letter differentiating devices with different performance grades. Z, if used, indicates the lead-free version. Suffix ab is a 2 digit number denoting specific supply voltage combinations. Suffix EP at the end of the base part number indicates lower extended temperature capability to -55C with a NiPdAu lead finish. Further suffix letters or digits differentiate shipping package formats.

#### Notes:

1. These devices meet basic insulation requirements for 600Vrms for CSA 62368-1:19. IEC 62368-1:2018 Ed. 3 and EN 62368-1:2020+A11:2020. (pollution degree 2, material group III)

2. These devices meet reinforced insulation requirements for 300Vrms Including 230/400Vrms and 277/480Vrms for CSA 62368-1:19. IEC 62368-1:2018 Ed. 3 and EN 62368-1:2020+A11:2020. (pollution degree 2, material group III)

3. For CSA 61010-1-12+A1 and IEC 61010-1 3<sup>rd</sup> Ed. the devices meet 600Vrms for basic insulation and 300Vrms for reinforced insulation based on 61010-1 Cl 14.1 a) for use in 61010-1 end products because they meet the requirements of the 62368-1 evaluation. (pollution degree 2, material group III)

4. Case material: Multiple mold compounds have been evaluated. All meet at least material group II.

5. Evaluated by thermal cycling and other tests for a temperature rating of 105C.

6. The creepage and clearance has been evaluated for altitudes  $\leq$  2000m, in pollution degree 2 and overvoltage category II except where specified above. (pollution degree 2, material group III).

These devices are Component Accepted as components for use in other Certified equipment where the suitability of the combination shall be determined by investigation in the final application.

#### APPLICABLE REQUIREMENTS

CAN/CSA-C22.2 No 14-18	-	Industrial Control Equipment
CAN/CSA-C22.2 No. 62368-1:19	-	Audio/video, information and communication technology equipment - Part
		1: Safety requirements (Bi-national Standard with ANSI/UL 62368-1-2019)
IEC 62368-1:2018 Ed. 3	-	Audio/video, information and communication technology equipment - Part
		1: Safety requirements



**Certificate:** 2162710 **Project:** 80116754

Master Contract: 205078 Date Issued: 2022-08-23

EN 62368-1:2020+A11:2020 -	Audio/video, information and communication technology equipment - Part 1: Safety requirements (IEC 62368-1:2018)			
Clauses 6.7.1.3, 6.7.2.1 or K.1 to K.4 of	4, 6.7.2.2.1, 6.7.2.2.2 or tbK.9, A.17, tbK.5x1.6, K.6x1.6, K.7x1.6, 10			
CAN/CSA C22.2 No. 61010-1-12, UPD1: 2015, UPD2: 2016, AMD1: 2018 - Safety Requirements for				
	Electrical Equipment for Measurement, Control, and Laboratory Use, Part 1: General Requirements (Tri-national standard, with UL 61010-1 Ed. 3 (2012), AMD1: 2018 and ANSI/ISA-61010-1 (82.02.01))			
IEC 61010-1:2010 Ed. 3.1:2017 01 -	Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 1: General Requirements			

Notes:

Products certified under Class C907330 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). www.scc.ca





## Supplement to Certificate of Compliance

Certificate: 2162710

Master Contract: 205078

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

### **Product Certification History**

Project	Date	Description
80116754	2022-08-23	Update to 2162710 for 62368-1 Ed 3
70046795	2016-10-26	Update for alternative mould compound and leadframe
2569045	2012-10-23	Correction to insulation material cat. no. I-8124ER
2326159	2010-11-08	Transfer of 6xxx models to 2326157
2187706	2009-06-23	Addition of Similar Models ADuM600x, ADuM620x, ADuM640x and Evaluation to 601-1
2162710	2009-05-26	Original Component Acceptance